



Mystic Air Quality Consultants, Inc.

1204 North Road (Rt. 117) Groton, Connecticut 06340

February 10, 2020

Colchester Public Schools
127 Norwich Avenue, Suite 202
Colchester, Connecticut 06415
Attn: Mr. Mario Hurtado
Director of Educational Operations

Re: Colchester Public Schools Radon 5 Year Retesting

Locations: William Johnston Middle School & Colchester Elementary

Sampling Period: January 6, 2020 through January 10, 2020

Encl: (1) Summary Sheets
(2) Laboratory Data
(3) State of Connecticut Radon Testing Report Forms
(4) Certifications

Dear Mr. Hurtado:

As requested, between the dates of January 6, 2020 and January 10, 2020, Mystic Air Quality Consultants, Inc. conducted comprehensive radon sampling in two buildings belonging to the Colchester Public Schools. The testing was conducted in accordance with Connecticut General Statute (CGS) 10-220(d), the Connecticut Department of Public Health Radon Program, and the United States Environmental Protection Agency.

The sampling was conducted in the William Johnston Middle School and the Colchester Elementary School. Since the previous round of sampling, the William Johnston Middle School has undergone extensive renovations. The center section of the school was almost completely changed with extensive slab modification, addition, and a second floor added. The two outer wings also underwent renovations but was much more cosmetic with minimal slab alteration on the cafeteria wing. Based upon these changes, every first-floor room, fitting the testing criteria, in the center section of the school were tested. The existing outer wing footprints were retested following the ten percent testing model. The previous school had a sub slab depressurization, radon mitigation system, which was removed during the renovation activities. The previous location of this falls within the new center section, which was comprehensively sampled.

Communications (24 hours): _____

Office: (860) 449-8903

FAX: (860) 449-8860

Toll Free: 1 (800) 247-7746

website: www.mysticair.com

e-mail: maq2@aol.com

The sampling conducted at Colchester Elementary School was conducted in ten percent of the previously sampled locations. These testing locations were mainly composed of classrooms, laboratories, cafeterias, libraries, auditoriums, shops, gymnasiums, and staff offices. Testing was conducted during a time of HVAC heating, closed building conditions, and the absence of construction activities.

The sampling was conducted with passive short-term radon testing kits utilizing activated charcoal collection media. Following the protocols listed above, the test kits were deployed one per every 2000 square feet of continuous room space. Blind duplicate samples were deployed in ten percent of the sample locations. The duplicates were systematically arranged to measure the precision of the sampling. Additionally, blank samples were submitted to measure the accuracy of the testing. These blank samples were not exposed but were shipped, handled, and analyzed in the same fashion as the test kits. The blank samples were conducted in five percent of the sample locations. The kits remained in the test rooms for a three-day sampling period. Upon collection the samples were sent to a National Radon Safety Board (NSRB) accredited laboratory for analysis.

Enclosure (1) contains the summary sheet for each school tested. **During the time of the survey, none of the sample locations returned results at or above the EPA and State of Connecticut action level of 4.0 picocuries per liter of air.** At this time no further testing is required this year for the listed schools. Please note that according to the Connecticut General Statute (CGS) 10-220(d), testing is required every five years from this point on regardless of the results.

Enclosure (3) contains the State of Connecticut Radon Testing Report Forms. These forms provide a summary of the sampling activities and results to the State Department of Health. The testing company will submit these forms to the State within five working days. It is required that a copy of this report be kept available in the main office for staff and parental review.

If you have any questions or concerns please do not hesitate to contact me directly.

Sincerely,



Christopher J. Eident, CIH, CSP, RS, CEO

Mystic Air Quality Consultants, Inc.
1204 North Road, Groton, Connecticut 06340 (860) 449-8903

Location: William Johnston Middle School
360 Norwich Avenue
Colchester, Connecticut 06145

Results Above the EPA and CT DPH Action Level of 4.0 pCi/L

Location	Sample Number	Initial Result	Follow Up Result	Average
NONE	NONE	NONE	NONE	NONE
Action Level		≥ 4.0 pCi/L		

Mystic Air Quality Consultants, Inc.
1204 North Road, Groton, Connecticut 06340 (860) 449-8903

Location: Colchester Elementary School
315 Halls Hill Road
Colchester, Connecticut 06415

Results Above the EPA and CT DPH Action Level of 4.0 pCi/L

Location	Sample Number	Initial Result	Follow Up Result	Average
NONE	NONE	NONE	NONE	NONE
Action Level		≥ 4.0 pCi/L		

January 29, 2020

**** LABORATORY ANALYSIS REPORT ****

Pg 1 of 2

P2796 / MYSTIC AIR QUALITY CONSULTANTS

Number	Start Date	Start Time	End Date	End Time	Temp.	Facility	Building	Room	Project ID	Floor	Result
17	2020-01-06	11:00 am	2020-01-09	2:00 pm	70	COLCHESTER ELEMENTARY SCHOOL	COLCHESTER ELEMENTARY SCHOOL	H33	COLCHESTER PUBLIC SCHOOLS	1	0.7
19	2020-01-06	11:00 am	2020-01-09	2:00 pm	70	COLCHESTER ELEMENTARY SCHOOL	COLCHESTER ELEMENTARY SCHOOL	PK2	COLCHESTER PUBLIC SCHOOLS	1	< 0.3
20	2020-01-06	11:00 am	2020-01-09	2:00 pm	70	COLCHESTER ELEMENTARY SCHOOL	COLCHESTER ELEMENTARY SCHOOL	K10	COLCHESTER PUBLIC SCHOOLS	1	1.1
32	2020-01-06	11:00 am	2020-01-09	2:00 pm	70	COLCHESTER ELEMENTARY SCHOOL	COLCHESTER ELEMENTARY SCHOOL	D33	COLCHESTER PUBLIC SCHOOLS	1	0.8
37	2020-01-06	11:00 am	2020-01-09	2:00 pm	70	COLCHESTER ELEMENTARY SCHOOL	COLCHESTER ELEMENTARY SCHOOL	K3	COLCHESTER PUBLIC SCHOOLS	1	0.9
38	2020-01-06	11:00 am	2020-01-09	2:00 pm	70	COLCHESTER ELEMENTARY SCHOOL	COLCHESTER ELEMENTARY SCHOOL	F21	COLCHESTER PUBLIC SCHOOLS	1	0.6
39	2020-01-06	11:00 am	2020-01-09	2:00 pm	70	COLCHESTER ELEMENTARY SCHOOL	COLCHESTER ELEMENTARY SCHOOL	F10	COLCHESTER PUBLIC SCHOOLS	1	< 0.3
40	2020-01-06	11:00 am	2020-01-09	2:00 pm	70	COLCHESTER ELEMENTARY SCHOOL	COLCHESTER ELEMENTARY SCHOOL	GC-3F	COLCHESTER PUBLIC SCHOOLS	1	1.0
51	2020-01-06	11:00 am	2020-01-09	2:00 pm	70	COLCHESTER ELEMENTARY SCHOOL	COLCHESTER ELEMENTARY SCHOOL	GC-14	COLCHESTER PUBLIC SCHOOLS	1	< 0.3
53	2020-01-07	3:00 pm	2020-01-10	12:00 pm	70	WILLIAM J. JOHNSTON MIDDLE SCHOOL	WILLIAM J. JOHNSTON MIDDLE SCHOOL	610	COLCHESTER PUBLIC SCHOOLS	1	< 0.3
54	2020-01-07	3:00 pm	2020-01-10	12:00 pm	70	WILLIAM J. JOHNSTON MIDDLE SCHOOL	WILLIAM J. JOHNSTON MIDDLE SCHOOL	408D	COLCHESTER PUBLIC SCHOOLS	1	0.6
55	2020-01-07	2:00 pm	2020-01-10	11:00 am	70	WILLIAM J. JOHNSTON MIDDLE SCHOOL	WILLIAM J. JOHNSTON MIDDLE SCHOOL	307	COLCHESTER PUBLIC SCHOOLS	1	< 0.3
56	2020-01-07	3:00 pm	2020-01-10	12:00 pm	70	WILLIAM J. JOHNSTON MIDDLE SCHOOL	WILLIAM J. JOHNSTON MIDDLE SCHOOL	612	COLCHESTER PUBLIC SCHOOLS	1	0.6
57	2020-01-07	3:00 pm	2020-01-10	12:00 pm	70	WILLIAM J. JOHNSTON MIDDLE SCHOOL	WILLIAM J. JOHNSTON MIDDLE SCHOOL	615	COLCHESTER PUBLIC SCHOOLS	1	< 0.3
59	2020-01-07	2:00 pm	2020-01-10	11:00 am	70	WILLIAM J. JOHNSTON MIDDLE SCHOOL	WILLIAM J. JOHNSTON MIDDLE SCHOOL	611	COLCHESTER PUBLIC SCHOOLS	1	< 0.3
70	2020-01-07	2:00 pm	2020-01-10	11:00 am	70	WILLIAM J. JOHNSTON MIDDLE SCHOOL	WILLIAM J. JOHNSTON MIDDLE SCHOOL	117	COLCHESTER PUBLIC SCHOOLS	1	< 0.3
71	2020-01-07	2:00 pm	2020-01-10	11:00 am	70	WILLIAM J. JOHNSTON MIDDLE SCHOOL	WILLIAM J. JOHNSTON MIDDLE SCHOOL	111	COLCHESTER PUBLIC SCHOOLS	1	< 0.3
72	2020-01-07	2:00 pm	2020-01-10	11:00 am	70	WILLIAM J. JOHNSTON MIDDLE SCHOOL	WILLIAM J. JOHNSTON MIDDLE SCHOOL	107	COLCHESTER PUBLIC SCHOOLS	1	< 0.3
73	2020-01-07	2:00 pm	2020-01-10	11:00 am	70	WILLIAM J. JOHNSTON MIDDLE SCHOOL	WILLIAM J. JOHNSTON MIDDLE SCHOOL	104	COLCHESTER PUBLIC SCHOOLS	1	< 0.3
75	2020-01-06	11:00 am	2020-01-09	2:00 pm	70	COLCHESTER ELEMENTARY SCHOOL	COLCHESTER ELEMENTARY SCHOOL	BLANK	COLCHESTER PUBLIC SCHOOLS	1	< 0.3
78	2020-01-07	2:00 pm	2020-01-10	11:00 am	70	WILLIAM J. JOHNSTON MIDDLE SCHOOL	WILLIAM J. JOHNSTON MIDDLE SCHOOL	601	COLCHESTER PUBLIC SCHOOLS	1	< 0.3
79	2020-01-07	2:00 pm	2020-01-10	11:00 am	70	WILLIAM J. JOHNSTON MIDDLE SCHOOL	WILLIAM J. JOHNSTON MIDDLE SCHOOL	505	COLCHESTER PUBLIC SCHOOLS	1	< 0.3
80	2020-01-07	2:00 pm	2020-01-10	11:00 am	70	WILLIAM J. JOHNSTON MIDDLE SCHOOL	WILLIAM J. JOHNSTON MIDDLE SCHOOL	506	COLCHESTER PUBLIC SCHOOLS	1	< 0.3
81	2020-01-07	2:00 pm	2020-01-10	11:00 am	70	WILLIAM J. JOHNSTON MIDDLE SCHOOL	WILLIAM J. JOHNSTON MIDDLE SCHOOL	508	COLCHESTER PUBLIC SCHOOLS	1	< 0.3
82	2020-01-07	2:00 pm	2020-01-10	11:00 am	70	WILLIAM J. JOHNSTON MIDDLE SCHOOL	WILLIAM J. JOHNSTON MIDDLE SCHOOL	516	COLCHESTER PUBLIC SCHOOLS	1	0.5
83	2020-01-07	2:00 pm	2020-01-10	11:00 am	70	WILLIAM J. JOHNSTON MIDDLE SCHOOL	WILLIAM J. JOHNSTON MIDDLE SCHOOL	509	COLCHESTER PUBLIC SCHOOLS	1	< 0.3
84	2020-01-07	2:00 pm	2020-01-10	11:00 am	70	WILLIAM J. JOHNSTON MIDDLE SCHOOL	WILLIAM J. JOHNSTON MIDDLE SCHOOL	MO	COLCHESTER PUBLIC SCHOOLS	1	< 0.3
85	2020-01-07	2:00 pm	2020-01-10	11:00 am	70	WILLIAM J. JOHNSTON MIDDLE SCHOOL	WILLIAM J. JOHNSTON MIDDLE SCHOOL	602	COLCHESTER PUBLIC SCHOOLS	1	< 0.3
86	2020-01-07	2:00 pm	2020-01-10	11:00 am	70	WILLIAM J. JOHNSTON MIDDLE SCHOOL	WILLIAM J. JOHNSTON MIDDLE SCHOOL	605	COLCHESTER PUBLIC SCHOOLS	1	< 0.3
87	2020-01-07	2:00 pm	2020-01-10	11:00 am	70	WILLIAM J. JOHNSTON MIDDLE SCHOOL	WILLIAM J. JOHNSTON MIDDLE SCHOOL	MO	COLCHESTER PUBLIC SCHOOLS	1	< 0.3
88	2020-01-07	2:00 pm	2020-01-10	11:00 am	70	WILLIAM J. JOHNSTON MIDDLE SCHOOL	WILLIAM J. JOHNSTON MIDDLE SCHOOL	MO	COLCHESTER PUBLIC SCHOOLS	1	< 0.3
89	2020-01-07	2:00 pm	2020-01-10	11:00 am	70	WILLIAM J. JOHNSTON MIDDLE SCHOOL	WILLIAM J. JOHNSTON MIDDLE SCHOOL	507	COLCHESTER PUBLIC SCHOOLS	1	< 0.3
90	2020-01-07	2:00 pm	2020-01-10	11:00 am	70	WILLIAM J. JOHNSTON MIDDLE SCHOOL	WILLIAM J. JOHNSTON MIDDLE SCHOOL	KITCHEN	COLCHESTER PUBLIC SCHOOLS	1	< 0.3
91	2020-01-07	2:00 pm	2020-01-10	11:00 am	70	WILLIAM J. JOHNSTON MIDDLE SCHOOL	WILLIAM J. JOHNSTON MIDDLE SCHOOL	612D	COLCHESTER PUBLIC SCHOOLS	1	< 0.3

Air Chk 1936 Butler Bridge Rd, Mills River, NC 28759-3892 Phone: (828) 684-0893 Fax: (828) 684-8498

January 29, 2020

**** LABORATORY ANALYSIS REPORT ****

Pg 2 of 2

P2796 / MYSTIC AIR QUALITY CONSULTANTS

ber	Start Date	Start Time	End Date	End Time	Temp.	Facility	Building	Room	Project ID	Floor	Result
	2020-01-07	2:00 pm	2020-01-10	11:00 am	70	WILLIAM J. JOHNSTON MIDDLE SCHOOL	WILLIAM J. JOHNSTON MIDDLE SCHOOL	511	COLCHESTER PUBLIC SCHOOLS	1	< 0.3
	2020-01-07	2:00 pm	2020-01-10	11:00 am	70	WILLIAM J. JOHNSTON MIDDLE SCHOOL	WILLIAM J. JOHNSTON MIDDLE SCHOOL	BLANK	COLCHESTER PUBLIC SCHOOLS	1	< 0.3
	2020-01-07	2:00 pm	2020-01-10	11:00 am	70	WILLIAM J. JOHNSTON MIDDLE SCHOOL	WILLIAM J. JOHNSTON MIDDLE SCHOOL	BLANK	COLCHESTER PUBLIC SCHOOLS	1	< 0.3
	2020-01-07	2:00 pm	2020-01-10	11:00 am	70	WILLIAM J. JOHNSTON MIDDLE SCHOOL	WILLIAM J. JOHNSTON MIDDLE SCHOOL	116	COLCHESTER PUBLIC SCHOOLS	1	< 0.3
	2020-01-07	2:00 pm	2020-01-10	11:00 am	70	WILLIAM J. JOHNSTON MIDDLE SCHOOL	WILLIAM J. JOHNSTON MIDDLE SCHOOL	108	COLCHESTER PUBLIC SCHOOLS	1	< 0.3
	2020-01-07	2:00 pm	2020-01-10	11:00 am	70	WILLIAM J. JOHNSTON MIDDLE SCHOOL	WILLIAM J. JOHNSTON MIDDLE SCHOOL	PUPIL SERVICES	COLCHESTER PUBLIC SCHOOLS	1	< 0.3
	2020-01-07	2:00 pm	2020-01-10	11:00 am	70	WILLIAM J. JOHNSTON MIDDLE SCHOOL	WILLIAM J. JOHNSTON MIDDLE SCHOOL	704	COLCHESTER PUBLIC SCHOOLS	1	< 0.3
	2020-01-07	2:00 pm	2020-01-10	11:00 am	70	WILLIAM J. JOHNSTON MIDDLE SCHOOL	WILLIAM J. JOHNSTON MIDDLE SCHOOL	302	COLCHESTER PUBLIC SCHOOLS	1	< 0.3
	2020-01-07	2:00 pm	2020-01-10	11:00 am	70	WILLIAM J. JOHNSTON MIDDLE SCHOOL	WILLIAM J. JOHNSTON MIDDLE SCHOOL	306D	COLCHESTER PUBLIC SCHOOLS	1	< 0.3
	2020-01-07	3:00 pm	2020-01-10	12:00 pm	70	WILLIAM J. JOHNSTON MIDDLE SCHOOL	WILLIAM J. JOHNSTON MIDDLE SCHOOL	613	COLCHESTER PUBLIC SCHOOLS	1	< 0.3
	2020-01-07	3:00 pm	2020-01-10	12:00 pm	70	WILLIAM J. JOHNSTON MIDDLE SCHOOL	WILLIAM J. JOHNSTON MIDDLE SCHOOL	CAFé	COLCHESTER PUBLIC SCHOOLS	1	0.6
	2020-01-07	3:00 pm	2020-01-10	12:00 pm	70	WILLIAM J. JOHNSTON MIDDLE SCHOOL	WILLIAM J. JOHNSTON MIDDLE SCHOOL	FACULTY	COLCHESTER PUBLIC SCHOOLS	1	1.1
	2020-01-07	3:00 pm	2020-01-10	12:00 pm	70	WILLIAM J. JOHNSTON MIDDLE SCHOOL	WILLIAM J. JOHNSTON MIDDLE SCHOOL	606	COLCHESTER PUBLIC SCHOOLS	1	< 0.3
	2020-01-07	3:00 pm	2020-01-10	12:00 pm	70	WILLIAM J. JOHNSTON MIDDLE SCHOOL	WILLIAM J. JOHNSTON MIDDLE SCHOOL	614	COLCHESTER PUBLIC SCHOOLS	1	< 0.3
	2020-01-07	3:00 pm	2020-01-10	12:00 pm	70	WILLIAM J. JOHNSTON MIDDLE SCHOOL	WILLIAM J. JOHNSTON MIDDLE SCHOOL	105	COLCHESTER PUBLIC SCHOOLS	1	< 0.3
	2020-01-07	2:00 pm	2020-01-10	11:00 am	70	WILLIAM J. JOHNSTON MIDDLE SCHOOL	WILLIAM J. JOHNSTON MIDDLE SCHOOL	110	COLCHESTER PUBLIC SCHOOLS	1	< 0.3
	2020-01-07	3:00 pm	2020-01-10	12:00 pm	70	WILLIAM J. JOHNSTON MIDDLE SCHOOL	WILLIAM J. JOHNSTON MIDDLE SCHOOL	408	COLCHESTER PUBLIC SCHOOLS	1	0.6
	2020-01-07	3:00 pm	2020-01-10	12:00 pm	70	WILLIAM J. JOHNSTON MIDDLE SCHOOL	WILLIAM J. JOHNSTON MIDDLE SCHOOL	103	COLCHESTER PUBLIC SCHOOLS	1	< 0.3
	2020-01-07	3:00 pm	2020-01-10	12:00 pm	70	WILLIAM J. JOHNSTON MIDDLE SCHOOL	WILLIAM J. JOHNSTON MIDDLE SCHOOL	403	COLCHESTER PUBLIC SCHOOLS	1	0.6
	2020-01-07	3:00 pm	2020-01-10	12:00 pm	70	WILLIAM J. JOHNSTON MIDDLE SCHOOL	WILLIAM J. JOHNSTON MIDDLE SCHOOL	102	COLCHESTER PUBLIC SCHOOLS	1	< 0.3
	2020-01-07	3:00 pm	2020-01-10	12:00 pm	70	WILLIAM J. JOHNSTON MIDDLE SCHOOL	WILLIAM J. JOHNSTON MIDDLE SCHOOL	102A	COLCHESTER PUBLIC SCHOOLS	1	< 0.3
	2020-01-07	3:00 pm	2020-01-10	12:00 pm	70	WILLIAM J. JOHNSTON MIDDLE SCHOOL	WILLIAM J. JOHNSTON MIDDLE SCHOOL	101	COLCHESTER PUBLIC SCHOOLS	1	< 0.3
	2020-01-07	3:00 pm	2020-01-10	12:00 pm	70	WILLIAM J. JOHNSTON MIDDLE SCHOOL	WILLIAM J. JOHNSTON MIDDLE SCHOOL	102	COLCHESTER PUBLIC SCHOOLS	1	< 0.3
	2020-01-07	2:00 pm	2020-01-10	11:00 am	70	WILLIAM J. JOHNSTON MIDDLE SCHOOL	WILLIAM J. JOHNSTON MIDDLE SCHOOL	104A	COLCHESTER PUBLIC SCHOOLS	1	< 0.3
	2020-01-07	2:00 pm	2020-01-10	11:00 am	70	WILLIAM J. JOHNSTON MIDDLE SCHOOL	WILLIAM J. JOHNSTON MIDDLE SCHOOL	104D	COLCHESTER PUBLIC SCHOOLS	1	< 0.3
	2020-01-07	2:00 pm	2020-01-10	11:00 am	70	WILLIAM J. JOHNSTON MIDDLE SCHOOL	WILLIAM J. JOHNSTON MIDDLE SCHOOL	106	COLCHESTER PUBLIC SCHOOLS	1	< 0.3
	2020-01-07	2:00 pm	2020-01-10	11:00 am	70	WILLIAM J. JOHNSTON MIDDLE SCHOOL	WILLIAM J. JOHNSTON MIDDLE SCHOOL	115	COLCHESTER PUBLIC SCHOOLS	1	< 0.3
	2020-01-07	3:00 pm	2020-01-10	12:00 pm	70	WILLIAM J. JOHNSTON MIDDLE SCHOOL	WILLIAM J. JOHNSTON MIDDLE SCHOOL	609	COLCHESTER PUBLIC SCHOOLS	1	0.5
	2020-01-07	2:00 pm	2020-01-10	11:00 am	70	WILLIAM J. JOHNSTON MIDDLE SCHOOL	WILLIAM J. JOHNSTON MIDDLE SCHOOL	109	COLCHESTER PUBLIC SCHOOLS	1	< 0.3
	2020-01-07	2:00 pm	2020-01-10	11:00 am	70	WILLIAM J. JOHNSTON MIDDLE SCHOOL	WILLIAM J. JOHNSTON MIDDLE SCHOOL	116E	COLCHESTER PUBLIC SCHOOLS	1	< 0.3
	2020-01-07	2:00 pm	2020-01-10	11:00 am	70	WILLIAM J. JOHNSTON MIDDLE SCHOOL	WILLIAM J. JOHNSTON MIDDLE SCHOOL	113	COLCHESTER PUBLIC SCHOOLS	1	< 0.3
	2020-01-07	2:00 pm	2020-01-10	11:00 am	70	WILLIAM J. JOHNSTON MIDDLE SCHOOL	WILLIAM J. JOHNSTON MIDDLE SCHOOL	112	COLCHESTER PUBLIC SCHOOLS	1	< 0.3
	2020-01-07	2:00 pm	2020-01-10	11:00 am	70	WILLIAM J. JOHNSTON MIDDLE SCHOOL	WILLIAM J. JOHNSTON MIDDLE SCHOOL	114	COLCHESTER PUBLIC SCHOOLS	1	< 0.3

Air Chk 1936 Butler Bridge Rd, Mills River, NC 28759-3892 Phone: (828) 684-0893 Fax: (828) 684-8498



STATE OF CONNECTICUT

DEPARTMENT OF PUBLIC HEALTH RADON PROGRAM

INITIAL SCHOOL RADON MEASUREMENT REPORT FORM

*Please use the *Re-Evaluation Report Form* when performing 5-year re-evaluations.

May 2017

The following form must be submitted to the Connecticut Department of Public Health Radon Program within ten (10) business days of providing a final written report of radon measurement activities to school personnel. **Do not send test results or other documents.** Submit this signed form by **mail, fax OR email (preferred)** to the Radon Program at:

CT Department of Public Health Radon Program
410 Capitol Avenue, MS #12 RAD
Hartford, CT 06134-0308
Fax: 860-509-7295
Email: DPH.RadonReports@ct.gov

Name of School:

William Johnston Middle School (New Section)

Address:

(Street, town, zip code)

360 Norwich Avenue

Colchester, CT 06415

Testing Company:

Mystic Air Quality Consultants, Inc.

Measurement Professional:
NRPP/NRSB Certification #:

Scott Adams/ 6SS0018

Please provide the following summary information:

Dates of Testing:

(deployment & retrieval dates. Include
confirmatory testing dates if necessary)

January 7-10, 2020

Total # of Rooms Tested

42

**Total # of Rooms Requiring
Re-Testing:**

0

**Total # of Rooms Where
Average Results Were
at or above 4.0 pCi/L:**

0

Radon measurement activities were carried out in accordance with United States Environmental Protection Agency protocols and the Connecticut Department of Public Health Radon Program's *School Radon Testing Guidance* at the location described above.

Signature of Measurement Professional

Signature of School Designee

Date



Phone: (860) 509-7299

Telephone Device for the Deaf (860)

509-7191 450 Capitol Avenue - MS # 12RAD

P.O. Box 340308 Hartford, CT 06134

An Equal Opportunity Employer

ENCLOSURE (3) PAGE 1 OF 7



DEPARTMENT OF PUBLIC HEALTH
RADON PROGRAM
SCHOOL RADON RE-EVALUATION REPORT FORM

Jan 2011

The following form must be submitted to the Connecticut Department of Public Health Radon Program within ten (10) business days of providing a final written report of radon measurement activities to school personnel. Submit this signed form by mail OR fax to the Radon Program at the address listed below:

CT Department of Public Health Radon Program
410 Capitol Avenue, MS #51 RAD
Hartford, CT 06134-0308
OR
Fax: 860-509-7378

Address: 360 Norwich Avenue
(Street, town, zip code) Colchester, CT 06415

Measurement Company: Mystic Air Quality Consultants

Please provide the following summary information:

Total # of Rooms Tested: 8

Total # of Rooms Requiring Re-Testing: 0

**Total # of Rooms Where
Average Results were at or
above 4.0 pCi/L:** 0

Radon measurement activities were performed at the location above in accordance with United States Environmental Protection Agency protocols and the Connecticut Department of Public Health Radon Program's *School Radon Testing Guidance*.

Scott Adams/ 6SS0018

Measurement Professional / NEHA/NRSB #

Signature

~~2/10/2020~~

Date _____

School Designee / Title

Signature

Date _____



*Phone: (860) 509-7367
Telephone Device for the Deaf (860) 509-7191
450 Capitol Avenue - MS # 51RAD
P.O. Box 340308 Hartford, CT 06134
An Equal Opportunity Employer*



STATE OF CONNECTICUT

DEPARTMENT OF PUBLIC HEALTH RADON PROGRAM

SCHOOL RADON RE-EVALUATION REPORT FORM

Jan 2011

The following form must be submitted to the Connecticut Department of Public Health Radon Program within ten (10) business days of providing a final written report of radon measurement activities to school personnel. Submit this signed form by mail OR fax to the Radon Program at the address listed below:

CT Department of Public Health Radon Program
410 Capitol Avenue, MS #51 RAD
Hartford, CT 06134-0308
OR
Fax: 860-509-7378

Name of School:

Colchester Elementary School

Address:

(Street, town, zip code)

318 Halls Hill Road

Colchester, CT 06415

Measurement Company:

Mystic Air Quality Consultants

Please provide the following summary information:

Testing Dates:

January 6-9, 2020

Total # of Rooms Tested:

9

**Total # of Rooms Requiring
Re-Testing:**

0

**Total # of Rooms Where
Average Results were at or
above 4.0 pCi/L:**

0

Radon measurement activities were performed at the location above in accordance with United States Environmental Protection Agency protocols and the Connecticut Department of Public Health Radon Program's *School Radon Testing Guidance*.

Scott Adams/ 6SS0018

Measurement Professional / NEHA/NRSB #

Signature

2/10/2020

Date

School Designee / Title

Signature

Date



Phone: (860) 509-7367
Telephone Device for the Deaf (860) 509-7191
450 Capitol Avenue - MS # 51RAD
P.O. Box 340308 Hartford, CT 06134
An Equal Opportunity Employer

THE NATIONAL RADON SAFETY BOARD

Certified Radon Professionals

Certifies that

Scott M. Adams

Has Successfully Met The Established & Published Requirements for Certification
by The National Radon Safety Board as a


Radon Measurement Specialist

NRSB 6SS0018

Certification Number

3/30/2020

Expiration Date



Michelle Kunderlich
Executive Secretary

National Radon Safety Board
NRSB
Certified Radon Professionals

This certificate is the property of The National Radon Safety Board and is not official without the raised seal.